




DO NOT OVERTIGHTEN THE SCREW!

Torque recommendations for SX3 screw:

5Nm to fasten the panel on a 7/64" thick aluminum channel



FIXING DETAIL MEASURES: INCHES & MM


A-A'	FAÇADE BASE
B-B'	PARAPET CAP
C-C'	HORIZONTAL JOINT
D-D'	VERTICAL JOINT
E-E'	WINDOW SILL
F-F'	WINDOW JAMB
G-G'	WINDOW HEAD
H-H'	INSIDE CORNER
I-I'	OUTSIDE CORNER
J-J'	DOOR HEAD
K-K'	DOOR JAMB
L-L'	WALL-SOFFIT INSIDE CORNER 1
M-M'	WALL-SOFFIT INSIDE CORNER 2
N-N'	WALL-SOFFIT OUTSIDE CORNER 1
O-O'	WALL-SOFFIT OUTSIDE CORNER 2
P-P'	SOFFIT JOINT

Measurements in inches are approximated. Real measurements in mm.

The updated version of this present installation detail can be found on the PARKLEX PRODEMA web.
Panel sizes and maximum distances in technical catalogue.


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-G.P.	GENERAL PERSPECTIVE	Maialen Irastorza	1 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-A	DETAIL A-A' // FAÇADE BASE	Maialen Irastorza	2 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-B	DETAIL B-B' // PARAPET CAP	Maialen Irastorza	3 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint 1/16" (1mm)
D	Vertical expansion joint 5/6" (8mm)
E	Panel thickness 5/16" (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-C	DETAIL C-C' // HORIZONTAL JOINT	Maialen Irastorza	4 / 22

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-D	DETAIL D-D' // VERTICAL JOINT	Maialen Irastorza	5 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-E	DETAIL E-E' // WINDOW SILL	Maialen Irastorza	6 / 22

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-F1	DETAIL F-F' // WINDOW JAMB 1	Maialen Irastorza	7 / 22

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-F2	DETAIL F-F' // WINDOW JAMB 2	Maialen Irastorza	8 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint 1/16" (1mm)
D	Vertical expansion joint 5/6" (8mm)
E	Panel thickness 5/16" (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-G	DETAIL G-G' // WINDOW HEAD	Maialen Irastorza	9 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-H	DETAIL H-H' // INSIDE CORNER	Maialen Irastorza	10 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-11	DETAIL I-I' // OUTSIDE CORNER 1	Maialen Irastorza	11 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint 1/16" (1mm)
D	Vertical expansion joint 5/6" (8mm)
E	Panel thickness 5/16" (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-I2	DETAIL I-I' // OUTSIDE CORNER 2	Maialen Irastorza	12 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-I3	DETAIL I-I' // OUTSIDE CORNER 3	Maialen Irastorza	13 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2


Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-I4	DETAIL I-I' // OUTSIDE CORNER 4	Maialen Irastorza	14 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-J	DETAIL J-J' // DOOR HEAD	Maialen Irastorza	15 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2


Measures: inch

PARKLEX PRODEMA www.parklexprodema.com	PRODUCT	SYSTEM	DRAWN BY	DATE
	NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE	
NS1-01H-B-K1	DETAIL K-K' // DOOR JAMB 1	Maialen Irastorza	16 / 22	



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-K2	DETAIL K-K' // DOOR JAMB 2	Maialen Irastorza	17 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2


Measures: inch

PARKLEX PRODEMA www.parklexprodema.com	PRODUCT	SYSTEM	DRAWN BY	DATE
	NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
	PLAN#	TITLE	APPROVED BY	PAGE
	NS1-01H-B-L	DETAIL L-L' // WALL-SOFFIT INSIDE CORNER 1	Maialen Irastorza	18 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT
NATURSIDING

PLAN#
NS1-01H-B-M

SYSTEM
FAÇADE SIDING (METALLIC FRAME)
HORIZONTAL LAYOUT


TITLE
DETAIL M-M' // WALL-SOFFIT INSIDE CORNER 2

DRAWN BY
Joseba Salbide

APPROVED BY
Maialen Irastorza


DATE
01/2022

PAGE
19 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-N	DETAIL N-N' // WALL-SOFFT OUTSIDE CORNER 1	Maialen Irastorza	20 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01H-B-O	DETAIL O-O' // WALL-SOFFIT OUTSIDE CORNER 2	Maialen Irastorza	21 / 22



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Horizontal expansion joint $1/16"$ (1mm)
D	Vertical expansion joint $5/6"$ (8mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) HORIZONTAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01H-B-P	TITLE	DETAIL P-P' // SOFFIT JOINT	APPROVED BY	Maialen Irastorza	PAGE	22 / 22