


DO NOT OVERTIGHTEN THE SCREW!


Torque recommendations for SX3 screw:

5Nm to fasten the panel on a 7/64" thick aluminum channel



Measurements in inches are approximated. Real measurements in mm.


The updated version of this present installation detail can be found on the PARKLEX PRODEMA web.
Panel sizes and maximum distances in technical catalogue.



FIXING DETAIL	MEASURES: INCHES & MM
A-A'	FAÇADE BASE
B-B'	PARAPET CAP
C-C'	HORIZONTAL JOINT
D-D'	VERTICAL JOINT
E-E'	WINDOW SILL
F-F'	WINDOW JAMB
G-G'	WINDOW HEAD
H-H'	INSIDE CORNER
I-I'	OUTSIDE CORNER
J-J'	DOOR HEAD
K-K'	DOOR JAMB
L-L'	WALL-SOFFIT INSIDE CORNER 1
M-M'	WALL-SOFFIT INSIDE CORNER 2
N-N'	WALL-SOFFIT OUTSIDE CORNER 1
O-O'	WALL-SOFFIT OUTSIDE CORNER 2
P-P'	SOFFIT JOINT


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-G.P.	GENERAL PERSPECTIVE	Maialen Irastorza	1 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-A	DETAIL A-A' // FAÇADE BASE	Maialen Irastorza	2 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint 1/16" (1mm)
D	Horizontal expansion joint 1/4" (6mm)
E	Panel thickness 5/16" (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	DATE
NATURSIDING			Joseba Salbide	01/2022
PLAN#	TITLE	DETAIL B-B' // PARAPET CAP	APPROVED BY	PAGE
NS1-01V-B-B			Maialen Irastorza	3 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-C	DETAIL C-C' // HORIZONTAL JOINT	Maialen Irastorza	4 / 20

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-D	TITLE	DETAIL D-D' // VERTICAL JOINT	APPROVED BY	Maialen Irastorza	PAGE	5 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-E	DETAIL E-E' // WINDOW SILL	Maialen Irastorza	6 / 20

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2



Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-F1	TITLE	DETAIL F-F' // WINDOW JAMB 1	APPROVED BY	Maialen Irastorza	PAGE	7 / 20

1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-F2	TITLE	DETAIL F-F' // WINDOW JAMB 2	APPROVED BY	Maialen Irastorza	PAGE	8 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-G	DETAIL G-G' // WINDOW HEAD	Maialen Irastorza	9 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-H	DETAIL H-H' // INSIDE CORNER	Maialen Irastorza	10 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-11	DETAIL I-I' // OUTSIDE CORNER 1	Maialen Irastorza	11 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-I2	DETAIL I-I' // OUTSIDE CORNER 2	Maialen Irastorza	12 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-J	DETAIL J-J' // DOOR HEAD	Maialen Irastorza	13 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT
NATURSIDING

PLAN#
NS1-01V-B-K1

SYSTEM
FAÇADE SIDING (METALLIC FRAME)
VERTICAL LAYOUT


TITLE
DETAIL K-K' // DOOR JAMB 1

DRAWN BY
Joseba Salbide

APPROVED BY
Maialen Irastorza


DATE
01/2022

PAGE
14 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-K2	DETAIL K-K' // DOOR JAMB 2	Maialen Irastorza	15 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-L	TITLE	DETAIL L-L' // WALL-SOFFIT INSIDE CORNER	APPROVED BY	Maialen Irastorza	PAGE	16 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-M	TITLE	DETAIL M-M' // WALL-SOFFIT INSIDE CORNER 2	APPROVED BY	Maialen Irastorza	PAGE	17 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURSIDING	SYSTEM	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NS1-01V-B-N	TITLE	DETAIL N-N' // WALL-SOFFIT OUTSIDE CORNER 1	APPROVED BY	Maialen Irastorza	PAGE	18 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint $1/16"$ (1mm)
D	Horizontal expansion joint $1/4"$ (6mm)
E	Panel thickness $5/16"$ (8mm)




Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NS1-01V-B-O	DETAIL O-O' // WALL-SOFFIT OUTSIDE CORNER 2	Maialen Irastorza	19 / 20



1	NATURSIDING
2	Screws
2.1	Clip fixing screw
2.2	Wall fixing screw - by others
2.3	SX3 screw
2.4	Washer 1/8" (3mm) - by others
3	Profiles
3.1	Aluminum J channel - by others
3.2	Aluminum HAT channel - by others
3.3	Coronation profile - by others
3.4	Sill profile - by others
3.5	Jamb profile - by others
3.6	Corner profile - by others
4	Fixing clip
5	Water resistant barrier - by others
6	Vent. screen - by others
7	Concrete Wall - by others
8	Base L profile - by others

A	Required min. air chamber $\geq 3/4"$ (20mm)
B	Circulation of air $\geq 3/4"$ (20mm)
C	Vertical expansion joint 1/16" (1mm)
D	Horizontal expansion joint 1/4" (6mm)
E	Panel thickness 5/16" (8mm)



Measurements in inches are approximated. Real measurements in mm.

Scale 1:2

Measures: inch

PARKLEX PRODEMA www.parklexprodema.com	PRODUCT	SYSTEM	DRAWN BY	DATE
	NATURSIDING	FAÇADE SIDING (METALLIC FRAME) VERTICAL LAYOUT	Joseba Salbide	01/2022
	PLAN#	TITLE	APPROVED BY	PAGE
	NS1-01V-B-P	DETAIL P-P' // SOFFIT JOINT	Maialen Irastorza	20 / 20