

FIXING DETAIL


MEASURES: MM

The updated version of this present installation detail can be found on the PARKLEX PRODEMA web.
Panel sizes and maximum distances in technical catalogue.

A-A' FAÇADE BASE	H-H' INSIDE CORNER (OPEN JOINT)
B-B' PARAPET CAP	I-I' OUTSIDE CORNER (OPEN JOINT)
C-C' HORIZONTAL JOINT	J-J' DOOR HEAD
D-D' VERTICAL JOINT	K-K' DOOR JAMB
E-E' WINDOW SILL	L-L' VENTILATION DROPPED CEILING
F-F' WINDOW JAMB	M-M' SIDE VENTILATION DROPPED CEILING
G-G' WINDOW HEAD	


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT NATURCLAD	SYSTEM HIDDEN FIXING WITH BRACKET HANGING SYSTEM	DRAWN BY Joseba Salbide	DATE 01/2022
PLAN# NC2-03-G.P.	TITLE GENERAL PERSPECTIVE	APPROVED BY Maialen Irastorza	PAGE 1 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-A	DETAIL A-A' // FAÇADE BASE	Maialen Irastorza	2 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-B	DETAIL B-B' // PARAPET CAP	Maialen Irastorza	3 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm





Scale 1:2

Measures: mm

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-C	DETAIL C-C' // HORIZONTAL JOINT	Maialen Irastorza	4 / 18

1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-D	DETAIL D-D' // VERTICAL JOINT	Maialen Irastorza	5 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm



Scale 1:2



Measures: mm

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-E	DETAIL E-E' // WINDOW SILL	Maialen Irastorza	6 / 18

1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm



Scale 1:2



Measures: mm

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-F	DETAIL F-F' // WINDOW JAMB	Maialen Irastorza	7 / 18

1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
2.4	Panel fastener metal
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
3.8	Union profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others


A	Required min. air chamber ≥ 20mm
B	Circulation of air ≥ 20mm
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm



Scale 1:2


Measures: mm

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-F2	DETAIL F-F' // WINDOW JAMB 2	Maialen Irastorza	8 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2


Measures: mm

PARKLEX PRODEMA
www.parklexprodema.com


PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-G	DETAIL G-G' // WINDOW HEAD	Maialen Irastorza	9 / 18



A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Measures: mm



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-H	DETAIL H-H' // INSIDE CORNER (OPEN JOINT)	Maialen Irastorza	11 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-I	DETAIL I-I' // OUTSIDE CORNER (OPEN JOINT)	Maialen Irastorza	12 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-J	DETAIL J-J' // DOOR HEAD	Maialen Irastorza	13 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
2.4	Panel fastener metal
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
3.8	Union profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-J2	DETAIL J-J' // DOOR HEAD 2	Maialen Irastorza	14 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm




Scale 1:2

Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-K	DETAIL K-K' // DOOR JAMB	Maialen Irastorza	15 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others


A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm



Measures: mm


PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	SYSTEM	DRAWN BY	DATE
NATURCLAD	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	Joseba Salbide	01/2022
PLAN#	TITLE	APPROVED BY	PAGE
NC2-03-L	DETAIL L-L' // VENTILATION DROPPED CEILING	Maialen Irastorza	17 / 18



1	NATURCLAD
2	Screws
2.1	Fixing bracket fastener - panel backl
2.2	Channel fastener - by others
2.3	Wall fixing screw - by others
3	Profiles
3.1	Aluminium L profile (40x60)
3.2	Wall bracket
3.3	Horizontal carrier rail
3.4	Panel fixing bracket
3.5	Jamb profile - by others
3.6	Sill profile - by others
3.7	Coronation profile - by others
4	Water resistant barrier - by others
5	Thermal insulation - by others
6	Vent. screen - by others
7	Primary structure - by others

A	Required min. air chamber $\geq 20\text{mm}$
B	Circulation of air $\geq 20\text{mm}$
D	Expansion joint 6-10mm
E	Panel thickness 10-12mm



Measures: mm

PARKLEX PRODEMA
www.parklexprodema.com

PRODUCT	NATURCLAD	SYSTEM	HIDDEN FIXING WITH BRACKET HANGING SYSTEM	DRAWN BY	Joseba Salbide	DATE	01/2022
PLAN#	NC2-03-M	TITLE	DETAIL M-M' // SIDE VENTILATION DROPPED CEILING	APPROVED BY	Maialen Irastorza	PAGE	18 / 18